



Foamer Pumps



General Specs:

- 01** Various head & closure options
- 02** **Water resistant & non-water resistant**
- 03** Various locking mechanisms
- 04** **Handheld, Travel size & Table top options**
- 05** 0.4cc, 0.8cc, 1.2cc, 1.5cc
- 06** **Closure size 30mm, 40mm, 43mm**
- 07** PE dip tube
- 08** **PE/Foam Gasket 1.5mm & 2.0mm**
- 09** Air to liquid ratio options (8,10,12)
- 10** **150/250 Default mesh counts**
- 11** Stainless steel spring (304ss & 316ss)
- 12** **Customizable color options**
- 13** Customizable actuator, closure, locking clip & overcap

Contact Us:

marcus.lee@ev-venture.com | www.ev-venture.com
tel: 713-826-8288 | 9770 Whithorn Drive, Houston Texas, 77095 .



Foamer Pumps



EVFP01

EVFP02

EVFP03

EVFP04

EVFP05

EVFP06

General Specs:

- 01** Various head styles & closure options
- 02** **Water resistant & non-water resistant options**
- 03** Uplock, overcap, locking clip options
- 04** **Handheld, Travel size & Table top options**
- 05** 0.4cc, 0.8cc, 1.2cc, 1.5cc
- 06** **Closure size 30mm, 40mm, 43mm**
- 07** PE dip tube with dip tube bending option
- 08** **PE/Foam Gasket 1.5mm & 2.0mm**
- 09** Air to liquid ratio options (8,10,12)
- 10** **150/250 Default mesh counts**
- 11** Stainless steel spring (304ss & 316ss)
- 12** **Customizable color options**
- 13** Customizable actuator, closure, locking clip & overcap
- 14** **Configurable parts to achieve desired foaming attributes**

EV EnVenture, INC

marcus.lee@ev-venture.com | www.ev-venture.com
tel: 713-826-8288 | 9770 Whithorn Drive, Houston Texas, 77095 USA .



Fine Mist Sprayer



General Specs:

- 01** Various head, closure & overcap options
- 02** Closure size for 18mm, 20mm, 22mm, 24mm (400/410/415)
- 03** PE/Foam Gasket
- 04** Inverted/ Upright options
- 05** Various closure finish (smooth, ribbed, metal collar, decorated)
- 06** 0.15cc, 0.65cc
- 07** PP or PE dip tube
- 08** Stainless steel spring (304ss & 316ss)

EV EnVenture, INC

marcus.lee@ev-venture.com | www.ev-venture.com
tel: 713-826-8288 | 9770 Whithorn Drive, Houston Texas, 77095 USA .



Trigger Sprayer



General Specs:

- | | | | |
|-----------|--|-----------|---|
| 01 | Various shroud, nozzle, trigger piece, and closure designs | 07 | PP or PE dip tube |
| 02 | Standard closure sizes for trigger industry 24mm, 28mm, ratchet | 08 | PE/Foam Gasket 1.2mm & 2.0mm |
| 03 | Nozzle options : Spray, Stream & Foam, Child Resistant | 09 | Closure finish – ribbed, smooth, metal jacket, vacuum metalized, spray coating |
| 04 | 0.4cc, 0.9cc, 1.3cc, 1.5cc | 10 | Regular 2 finger, wide 2 finger, 3 finger trigger piece |
| 05 | Metal Spring & All plastic versions | 11 | Stainless steel spring (304ss & 316ss) |
| 06 | Default spray angle 60 degree | 12 | Customizable color options |

EV EnVenture, INC

marcus.lee@ev-venture.com | www.ev-venture.com
tel: 713-826-8288 | 9770 Whithorn Drive, Houston Texas, 77095 USA .



Lotion & Treatment Pump



General Specs:

- 01** Various head & closure options
- 02** Various locking mechanisms
- 03** Beauty & Personal Care
 - Handheld, travel size & table top options
- 04** 0.25cc, 2.0cc, 3.0cc
- 05** PP/PE dip tube

- 06** PE/Foam Gasket
- 07** Stainless steel spring (304ss & 316ss)
- 08** Customizable color options
- 09** Customizable actuator, chaplet, closure and overcap

EV EnVenture, INC

marcus.lee@ev-venture.com | www.ev-venture.com
tel: 713-826-8288 | 9770 Whithorn Drive, Houston Texas, 77095 USA .